
MBA CLADDING FILM INFORMATION



The following is a summary of the product data and finishes available from MBA to recover panels. This is the product used for customization in our European Rental Program as well. More information is available online at http://www.mba-design-display.com/englisch/messen/produkte/mba_oberflaechen.htm.

Surface Coverings

White is the neutral color of presentation.

However, colors and contrast create interest, helping to tie into a theme. For this purpose, MBA with their world-wide proven surface coverings distribution is ready to fill your needs.

Environmentally friendly laminates with permanent or removable adhesive backing offer durable, fire rated coverings with extensive choices, including a variety of colors and textures: over 150 different high quality laminates that will compliment every environment.

MBA wall coverings are:

- paintable with acrylic latex paints
- flame resistant and fire-rated according to international standards
- scratch-resistant
- weather-resistant
- anti-static
- cut to minimum tolerances
- environmentally friendly
- flat, even surfaces
- silk-screenable
- suitable for computer graphics

MBA CLADDING FILM INFORMATION

milament® Series 1.000-4.000

milament® Series 1.000-4.000 is available in 66 neutral, color and brilliant shades as well as metallic. The laminates have a self-adhesive backing for permanent adhesion.

- width 40 " (1020 mm)
- thickness 8 mils (0,20 mm)
- length of roll 82 ft (25 m)
- flame resistant and firerated according to international standards (DIN 4102 B1)
- scratch-resistant
- weather-resistant
- antistatic
- cut to minimum tolerances
- environmentally friendly
- flat, even surfaces
- silk-screenable
- suitable for computer graphics

(The illustration of the colors and surfaces can vary from the original shades and structures. Please ask for our samples).

milament®










All surfaces milament® Series 1.000, 3.000, 4.000 and Series 2.000 and 2.500 have a slight texture.

milament ® Series 1.000 / Primary Colors

1.176 ~RAL 3015			1.191 ~RAL 1014
1.100 ~RAL 2002			1.183 ~RAL 1017
1.120 ~RAL 3002			1.220 ~RAL 1023
1.170 ~RAL 8011			1.200 ~RAL 1028
1.173 ~RAL 8012			1.231 ~RAL 2003
1.541 ~RAL 8007			1.240 ~RAL 2008
1.650 ~RAL 8025			1.660 ~RAL 1024
1.419 ~RAL 1012			1.310 ~RAL 5012
1.420			1.141 ~RAL 5015
1.421			1.140 ~RAL 5017
1.381 ~RAL 6018			1.361
1.150 ~RAL 6029			1.360 ~RAL 5003
1.130 ~RAL 6013			1.351
1.175 ~RAL 4003			1.350 ~RAL 4005

MBA CLADDING FILM INFORMATION


milament ® Series 2.000 / Metallics

2.702 ~RAL 9007			2.704
2.805 ~RAL 9006			2.705
2.701 ~RAL 9006			2.708
2.601			

milament ® Series 2.500 / Designer Metallics

2.050 Perlmutter			2.250 Kupfer
2.150 Messing			2.300 Bronze

milament ® Series 3.000 / Neutrals

3.180 ~RAL 9016			3.540 ~RAL 9002
3.808			3.640 ~RAL 7035
3.690 ~RAL 1001			3.645
3.670 ~RAL 7034			3.620 ~RAL 7031
3.171 ~RAL 8022			3.610 ~RAL 7043
3.806 ~RAL 1014			3.190 ~RAL 9005
3.695			

milament ® Series 4.000 / Designer Series

4.910 ~RAL 3004			4.950
4.915			4.940 ~RAL 7036
4.920 ~RAL 3012			4.960 ~RAL 7001
4.925			4.968
4.930			4.975 ~RAL 7003
4.935 ~RAL 8024			4.985 ~RAL 1000
4.945 ~RAL 1019			4.990 ~RAL 6005

MBA CLADDING FILM INFORMATION

3D-Structur® Series 5.000

3D-structur® Series 5.000 is a surface with a 3D-stripe or dot pattern. This series is available as wall covering or floor covering. The laminates have a self-adhesive backing for permanent adhesion.

Wall covering:

- width 40 " (1020 mm)
- thickness 8 mils (0,20 mm)
- length of roll 82 ft (25 m)

Floor covering:

- width 55 " (1400 mm)
- thickness 39 mils (1,0 mm)
- length of roll 82/164 ft (25/50 m)

- flame resistant and fire-rated according to international standards (DIN 4102 B1)
- scratch-resistant
- weather-resistant
- anti-static
- cut to minimum tolerances
- environmentally friendly
- flat, even surfaces
- silk-screenable
- suitable for computer graphics

(The illustration of the colors and surfaces can vary from the original shades and structures. Please use a RAL-Color Chart or ask for our samples).

3D-Structur® Series 5.000 - Wall covering


5.180 SP/PP			5.190 SP/PP
5.640 SP/PP			5.703 SP/PP



stripe pattern (SP) dot pattern (PP)

3D-Structur® Series 5.000 - Floor covering

5.625 PP- BB			5.190 PP- BB
5.615 PP- BB			



MBA CLADDING FILM INFORMATION

milour-top® / mila-suede® Series 6.000

milour-top®/ mila-suede® Series 6.000 is a distinguishing surface in a suede-look. Concrete, glass, steel, aluminium, synthetic material, wood and plasterboards can be laminated without any problem.

The laminates are available with a normal backing or a self-adhesive backing for permanent adhesion.
















- width 40 " (1020 mm) with self-adhesive backing
41" (1050 mm) with normal backing
- thickness 39 mils (1,0 mm)
- length of roll 82 ft (25 m)
- flame resistant and firerated according to international standards (DIN 4102 B1)
- anti-static
- flat, even surface

milour-top® is marketed in North America as mila-suede®.

(The illustration of the colors and surfaces can vary from the original shades and structures. Please use a RAL-Color Chart or ask for our samples).

▶[Order more information and/or samples.](#)

milour-top® / mila-suede® Series 6.000

6.521			6.550
6.508			6.513
6.500			6.525
6.514			6.512
6.503			6.504
6.519			6.511
6.509			6.501
6.529			6.502

milour-top®



MBA CLADDING FILM INFORMATION

mila-clett® Series 7.000

In a simple way, displays can be attached to mila-clett®, Velcro® friendly fabric. mila-clett® can be used for large or small exhibit areas.

The laminates are available with a normal backing or a self-adhesive backing for permanent adhesion.

- width 40 " (1020 mm) with self-adhesive backing
 41" (1050 mm) with normal backing
- thickness 12 mils (0,3 mm)
- length of roll 82 ft (25 m)
- flame resistant and firerated according to international standards (DIN 4102 B1)
- anti-static
- flat, even surface

(The illustration of the colors and surfaces can vary from the original shades and structures. Please use a RAL-Color Chart or ask for our samples).

▶[Order more information and/or samples.](#)

mila-clett® Series 7.000

<p>7.120</p> <p>7.360</p> <p>7.190</p> <p>7.620</p> <p>7.180</p> <p>7.640</p>		<p>7.150</p> <p>7.381</p> <p>7.220</p> <p>7.806</p> <p>7.170</p>
---	--	---

mila-clett®




MBA CLADDING FILM INFORMATION

mila-decor® Series 9.000

mila-decor® Series 9.000 is a smooth surface available in 25 silky shades. The laminates have a self-adhesive backing and are removable.

- width 40 " (1020 mm)
- thickness 8 mils (0,20 mm)
- length of roll 82 ft (25 m)
- flame resistant and fire-rated according to international standards (DIN 4102 B1)
- scratch-resistant
- weather-resistant
- antistatic
- cut to minimum tolerances
- environmentally friendly
- flat, even surfaces
- silk-screenable
- suitable for computer graphics

(The illustration of the colors and surfaces can vary from the original shades and structures. Please use a RAL-Color Chart or ask for our samples).



MBA CLADDING FILM INFORMATION

mila naturel® Series 10.000 – 11.000

mila-naturel® Series 10.000 - 11.00 are available with a wood, marble or granite appearance.

Laminates of Series 10.000 (marble and granite) have a slight texture. They have a self-adhesive backing and are removable.

Laminates of Series 11.000 (woodgrains) have no texture. They have a self-adhesive backing, either removable or permanent adhesion.

- width 50" (1270 mm) (woodgrain) 40"/50"(1020/1270 mm)
- thickness 8 mils (0,20 mm)
- length of roll 82 ft (25 m)
- flame resistant and fire-rated according to international standards (DIN 4102 B1)

(The illustration of the colors and surfaces can vary from the original shades and structures. Please use a RAL-Color Chart or ask for our samples).

▶[Order more information and/or samples.](#)

mila-naturel® Series 10.000



mila-naturel® Series 11.000



MBA CLADDING FILM INFORMATION

mila-fix® Series 12.000

mila-fix® Series 12.000 is a surface with a slight texture. The laminates have a self-adhesive backing and are removable.

- width 40"/50" (1020/1270 mm)
- thickness 8 mils (0,20 mm)
- length of roll 82 ft (25 m)
- flame resistant and fire-rated according to international standards (DIN 4102 B1)
- scratch-resistant
- weather-resistant
- anti-static
- cut to minimum tolerances
- environmentally friendly
- flat, even surfaces
- silk-screenable
- suitable for computer graphics

(The illustration of the colors and surfaces can vary from the original shades and structures. Please use a RAL-Color Chart or ask for our samples).

▶ [Order more information and/or samples.](#)

mila-fix® Series 12.000	
<p>12.100 ~RAL 2002</p> <p>12.231 ~RAL 2003</p> <p>12.220 ~RAL 1023</p> <p>12.381 ~RAL 6018</p> <p>12.150 ~RAL 6029</p> <p>12.360 ~RAL 5003</p> <p>12.360 ~RAL 5017</p>	<p>12.310 ~RAL 5012</p> <p>12.170 ~RAL 8011</p> <p>12.690 ~RAL 1001</p> <p>12.640 ~RAL 7035</p> <p>12.960 ~RAL 7001</p> <p>12.180 ~RAL 9016</p> <p>12.190 ~RAL 9005</p>

mila-fix®



The surface has a slight texture.

MBA CLADDING FILM INFORMATION

mila-eco® Series 14.000

mila-eco® Series 14.000 is the ecological laminate.

- free of cadmium
- free of PVC
- flame resistant and fire-rated according to international standards (DIN 4102 B1)
- No toxics when burning

The laminates have a self-adhesive backing for permanent adhesion.

- width 40 " (1020 mm)
- thickness 8 mils (0,20 mm)
- length of roll 82 ft (25 m)
- flame resistant and fire-rated according to international standards (DIN 4102 B1)

(The illustration of the colors and surfaces can vary from the original shades and structures. Please use a RAL-Color Chart or ask for our samples).

▶[Order more information and/or samples.](#)

mila-eco® Series 14.000

14.180
~RAL 9010



14.640
~RAL 7038

14.182
~RAL 9010



14.190
~RAL 9005

mila-eco®



The surfaces Series 14.180, 14.190 and 14.640 have a slight texture.